

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(upper adj1 bound) with average with corresp\$6 with calcul\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:04
L2	253	(upper adj1 bound) with average	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:04
L3	20	(upper adj1 bound) with average with distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:04
L4	8	(upper adj1 bound) with average with distance with point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:05
L5	20	(upper adj1 bound) with average with distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:11
L6	6	5 and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:05
L7	9372	((upper adj1 bound) or max\$4) with (average mean) with (distance displace\$4 difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:12
L8	1107	((upper adj1 bound) or max\$4) with (average mean) with (distance displace\$4 difference) with point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:08

L9	8	8 and (template adj1 match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:08
L10	4	(upper adj1 bound) with (average adj1 distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:12
L11	927	((upper adj1 bound) or max\$4) with ((average mean) adj1 (distance displace\$4 difference))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:12
L12	531	((upper adj1 bound) or max\$4) with ((average mean) adj1 (distance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:13
L13	8	12 and (template adj1 match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:15
L14	1	(average adj1 distance) with correspond\$5 with calcul\$4 with point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:17
L15	23	(average adj1 distance) same correspond\$5 same calcul\$4 same point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:17
L16	0	15 and (template adj1 match\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:18

L17	4475	(template adj1 match\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:18
L18	3194	17 and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:18
L19	9947	(average adj1 distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:19
L20	64	18 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:19
L21	54	20 and ((upper adj1 bound) or max\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 16:19
L22	4	(average adj1 distance) with ((upper adj1 bound) or max\$4) and 18	US-PGPUB; USPAT	OR	ON	2005/12/29 16:21
S9	884	@ad<"20010306" and (image\$6) and (template (region near1 interest) ROI (area near1 interest) AOI) same (difference distance) same point	US-PGPUB; USPAT	OR	ON	2005/12/27 12:40
S37	76	((template or roi or (region adj1 interest) or aoi or (area adj1 interest)) near2 (match\$4 or correlat\$4)) with (reference near4 point)	US-PGPUB; USPAT	OR	ON	2005/12/27 12:45
S38	7	((template or roi or (region adj1 interest) or aoi or (area adj1 interest)) near2 (match\$4 or correlat\$4)) with (reference near4 point) same first same second	US-PGPUB; USPAT	OR	ON	2005/12/27 12:46